



W.E.F. 1st Jan. 2025
PRICE LIST



Rule with Quality


WIRE & PUMPS

Live Life the Happiest Way

IS : 694





CM/L-9100123499





Shri Mukesh Kansal & Shri S.N Bansal is receiving Udyog Rattan Award by His Excellence Shri Bhishm Narayan Singh & His excellence Shri B.P Singh in the Seminar of Economics study





MADAN LAL KANSAL
DIRECTOR



MANIRAM GARG
CHAIRMAN

Company Profile

"KANSAL MECHANICAL INDUSTRIES PVT LTD " is among the few companies in "INDIA" having in-house production for aluminium as well as copper conductor wires, monoblock and submersible pumpset giving it total control over the quality and market share of wires & pumps

We are one of the best wires & pumps companies, providing quality and safety in the market for over three decades.

"KMI " was established in the year 1995. Mr. MUKESH KANSAL is the founder of the company.

We introduce ourselves as one of the leading manufacturers of P.V.C. insulated wires & pumpset under the trade mark of KMI .

"KMI " is one of the few companies in India manufacturing a large & wide range of quality cables and pumpset . Each production carries quality certification and standardization which assures complete safety.

Customer satisfaction is our main objective. Thus, we follow rigorous quality assurance from raw material procurement to the final stage of production, thereby ensuring zero-defect wires & pumpset .

Our company is certified by the Bureau of Indian Standards (BIS), carrying the License No. CM/L-9100123499 All the wire products are manufactured as per the defined standards of IS:694. It means all the products are ISI marked and made according to Indian Standards.

We are an ISO 9001:2015 Certified Company that ensures there is no compromise on quality results while manufacturing wires & pumps. As a result, the end products are manufactured as per the defined quality standards.

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002963366 | Email:kmpump2008@gmail.com | www.kmiwires.com



MULTI STRAND WIRE

90
MTR.



CM/L-9100123499

KMI Single Core HRFR Insulated Industrial Grade Copper Conductor (Unsheathed) Flexible Cables, 1100 Volts Conforming to IS:694

FORCE

	Size in Sq. MM	No./Dia of wire in mm Class -2	M.R.P	PACKING
	0.75	10/0.30	1425/-	20
1.0	14/0.30	1625/-	20	
1.5	22/0.30	2425/-	20	
2.5	36/0.30	3925/-	10	
4.0	56/0.30	5925/-	10	
6.0	84/0.30	8825/-	8	
10.0	140/0.30	14925/-	4	

GRAND

	Size in Sq. MM	No./Dia of wire in mm Class -5	M.R.P	PACKING
	1.0	19/0.26	2085/-	20
1.5	19/0.32	3085/-	20	
2.5	37/0.30	4885/-	10	
4.0	37/0.37	6885/-	10	

FIREX

	Size in Sq. MM	No./Dia of wire in mm Class -2/5	M.R.P	PACKING
	0.75	10/0.30	1885/-	20
1.0	14/0.30	2230/-	20	
1.5	22/0.30	3360/-	20	
2.5	36/0.30	5330/-	10	
4.0	56/0.30	7960/-	10	
6.0	84/0.30	12580/-	8	
10.0	140/0.30	20980/-	4	

MULTI CORE ROUND CABLE

90
MTR.

Multicore Copper Wire PVC Insulated Cable
1100 Volts

FORCE



Size in Sq. MM	2 CORE FLAT	2 CORE	3 CORE	4 CORE
0.75	1450/-	1590/-	-	-
1.0	1850/-	2090/-	-	-
1.5	2650/-	3090/-	4130/-	5420/-
2.5	-	4590/-	6130/-	8620/-
4.0	-	6290/-	9530/-	12320/-

GRAND



Size in Sq. MM	2 CORE	3 CORE	4 CORE
1.0	2550/-	-	-
1.5	3750/-	5240/-	7310/-
2.5	5650/-	7740/-	10710/-
4.0	8050/-	12340/-	16310/-

SUBMERSIBLE WIRE

100
MTR.

Submersible Cable-3 Core Flat Copper Wire



Size in Sq. MM	No. of wire	GRAND MAX	FORCE	GRAND
1.5	22	3625/-	5950/-	7060/-
2.5	36	5825/-	8850/-	10360/-
4.0	56	8525/-	13050/-	15660/-
6.0	84	12625/-	20050/-	23660/-
10.0	140	19725/-	31850/-	37360/-

PACKING ONLY AVAILABLE 300 MTR, 500 MTR

ALUMINIUM WIRE

**90
MTR.**

Aluminium Wire-PVC Insulated Cable 1100 Volts

	2 CORE			3 CORE			4 CORE		
	Size sq.mm	90 Mtr	450 Mtr	Size sq.mm	90 Mtr	450 Mtr	Size sq.mm	90 Mtr	450 Mtr
	6X2	1600/-	8000/-	-	-	-	10X4	5200/-	26000/-
	8X2	1850/-	9250/-	8X3	3000/-	15000/-	12X4	6000/-	30000/-
	10X2	2300/-	11500/-	10X3	3900/-	19500/-	16X4	7900/-	39500/-
	12X2	2900/-	14500/-	12X3	4700/-	23500/-	25X4	155/- (PER MTR)	
	16X2	3800/-	19000/-	16X3	5600/-	28000/-	35X4	220/- (PER MTR)	
	-	-	-	25X3	118/- (PER MTR)		50X4	285/- (PER MTR)	

ALUMINIUM ARMoured WIRE

**100
MTR.**

Aluminium Wire-PVC Insulated Cable 1100 Volts

	Size sq.mm	M.R.P
	6X2	3040/-
8X2	3940/-	
10X2	4540/-	
16X2	6240/-	


RG-6 CO-AXIAL CABLES

**90
MTR.**

	40X64	ALLOY	1050/-
	40X64	COPPER	1800/-

CAT -6 CABLE

**305
MTR.**

M.R.P.	8500/-
	

MODULAR BOX

SIZE	FIGHTER	FORCE	PACK	KC	GRAND	PACK
3*3 (2M)	44	54	54 Pcs	57	62	62 Pcs
4*3 (3M)	48	59	45 PCS	62	74	50 Pcs
5*3 (4M)	57	72	36 PCS	78	90	36 Pcs
8*3 (6M)	81	100	22 PCS	106	116	21 Pcs
9*3 (8M)	95	118	18 PCS	114	124	20 Pcs
10*3 (8M)	100	124	18 PCS	-	-	20 Pcs
5*5 (8M)	90	108	20 PCS	114	124	18 Pcs
8*6 (12M)	113	141	12 PCS	148	164	13 Pcs
8*8 (18M)	160	204	7 Pcs	200	240	7 Pcs

FAN BOX

ITEM	PRICE	PACK 3"	PACK 4"
600 GM	116	40 PCS	40 PCS
700 GM	148	40 PCS	32 PCS
700 GM Brass luppi	156	28 Pcs	----
900 GM Brass luppi	181	----	21 Pcs
DRAW 3"	106	50 PCS	----
DRAW 4"	112	--	40 PCS

CONCIELD BOX

ITEM	PRICE	PACK
CBL 170 GM	45	64 PCS
CBL 200 GM	49	64 PCS
CBL 250 GM	56	64 PCS
CBL 300 GM	68	64 PCS
CBL 3" DRAW	63	80 PCS
CBL 4" DRAW	70	64 PCS

MCB BOX

ITEM (DOUBLE DOOR)	FORCE	GRAND	PLATINUM	PACK
4 WAY	420	470	590	1 PC
6 WAY	465	520	650	1 PC
8 WAY	510	590	715	1 PC
10 WAY	560	660	780	1 PC
12 WAY	600	720	840	1 PC
16 WAY	690	870	960	1 PC
4 WAY TPN	1090		1260	1 PC
6WAY TPN	1270		1550	1 PC

OTHERS

ITEM	PRICE	PACK
JUNCTION BOX	330	24 D
FLAPPER 9" (ALM)	260	20 PCS
FLAPPER 12" (ALM)	330	10 PCS
FLAPPER 15" (ALM)	410	10 PCS
FLAPPER 18" (ALM)	510	10 PCS



- * Powder Coated Aluminum Body
- * Moisture Resistance Copper Winding
- * Anti-Corrosion Graded SS 410 Shaft
- * Graded Casting G-220 for Better Life
- * F Class insulation with stand high Temperature rise

GRAND series

GRAND 126



24 Month Warranty

GRAND 65



GRAND 72



GRAND 75



GRAND 60



An ISO 9001:2015 Company

- * 100 % Copper Winding
- * Graded SS 410 Shaft

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002963366 | Email: kmipump2008@gmail.com | www.kmiwires.com



24 Month Warranty

5 STAR GRAND FEATURES

- * Powder Coated Aluminum Body
- * Moisture Resistance Copper Winding
- * Anti-Corrosion Graded SS 410 Shaft
- * Graded Casting G-220 for Better Life
- * F Class insulation with stand high Temperature rise

Monoblock Pump Sets

Price List

Price List W.E.F 1st Jan. 2025

Model Name	HP/K.W.	Full Load Current	Head Total Mtr	Head/Discharge	RPM (Syn.Speed)	MRP
GRAND 60	0.5/0.37	2.5A	28	16/1200	2800	4900/-
GRAND 65	1.0/0.75	3.5A	38	18/1500	2800	6300/-
GRAND 72	1.1/0.82	4.5A	45	30/1800	2800	7500/-
GRAND 75	1.5/0.82	5.0A	52	30/2100	2800	9300/-
GRAND 126	1.5/1.125	6.0A	40	25/3400	2800	10900/-
FIGHTER 105 (1Year Warranty)	1.1/0.82	4.5A	35	20/2700	2800	8300/-

Diamond 65 (2 Years Warranty) C.I. BODY	1.0/0.75	3.5A	40	18/1800	2800	7000/-
Diamond 105 (1 Year Warranty) C.I. BODY	1.1/0.82	5.5A	38	20/3000	2800	9500/-

1. Above prices are subject to change without prior notice.
2. All taxes are as applicable
3. This price list cancels our entire previous prices list.
4. All Disputes are subject to Sonipat jurisdiction only.



An ISO 9001:2015 Company

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002963366 | Email: kmipump2008@gmail.com | www.kmiwires.com



GRAND series

SUBMERSIBLE PUMP SET
(Suitable for 100 mm Bore Well)*
1 Phase 220 Volts 50 Hz Ac Supply
2 Pole 3000 RPM (Syn. Speed)

24

 Month Warranty

Submersible Pump Set Wet Type Oil Colled

SPECIFICATION

HP/KW	:	3/2.25 upto
Head Range	:	155 mtr. upto
Discharge	:	350 LPM upto
Degree of Protection	:	IP68
Insulation Class	:	F Class
Max. Starts Per Hour	:	30 Numbers
Min. Starts Per Months	:	10 Number

5 STAR

★★★★★
GRAND FEATURES

- * Stand with wide voltage range 220-160 Volte
- * 20% glass filled Impeller
- * Anti-Corrosion Graded SS 410 Shaft
- * Graded Casting G-220 for Better Life
- * F Class insulation with stand high Tempera ture rise



- Stainless Steel Sand resistant construction
- Double ball Bearings
- NEMA Mounting Dimensions
- Axial thrust up to 6500 N for High Thrust Motor
- Wet type oil filled, easy rewindable Submersible motors.
- Highly durable designed for best possible hydraulic efficiency.
- Light Weight and compact design.
- Stands with wide voltage 220-180 volts.
- H Class Duel Coat Oxygen free Enameled copper winding.
- 20% Glass filled noryal impellar with S.S. Ring.
- Electrical grade C.R.N.O Lamination



KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002963366 | Email: kmipump2008@gmail.com | www.kmiwires.com

Radial & Mix Flow Submersible Pump Set
 Suitable for 100 mm Bore Well

Price List W.E.F. 01-01-2025

DISCHARGE IN L.P.M

OIL FILLED

2 YEAR WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				80	84	88	92	97	102	107	
1.0 HP	8	1.25"	52 MTR	37	36	33	31	28	24	21	11900/-
				80	84	88	92	97	102	107	
1.0 HP	10	1.25"	60 MTR	47	44	42	40	35	30	26	11900/-
				55	58	60	65	71	78	86	

2 YEAR WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				65	75	85	95	110	130	150	
1.5HP	8	1.5"	55 MTR	45	40	35	30	28	26	24	15700/-
				68	72	75	80	88	107	112	
1.5 HP	12	1.5"	72 MTR	56	53	50	45	36	32	31	15700/-
				38	45	56	65	75	82	89	
1.5 HP	15	1.25"	90 MTR	74	70	66	60	55	48	41	15700/-
				65	75	85	95	110	130	150	

6 MONTH WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				170	204	261	300	360	378	400	
2.0 HP	7	2.0"	35 MTR	27	25	22	17	11	7	4	21500/-
				119	124	131	140	147	158	172	
2.0 HP	10	2.0"	65 MTR	55	50	45	40	35	30	25	19500/-
				55	65	75	85	91	102	112	
2.0 HP	15	1.5"	90 MTR	78	72	66	60	55	45	35	19500/-
				39	47	56	65	76	84	90	
2.0 HP	20	1.25"	120 MTR	92	87	84	76	68	61	50	19500/-
				170	204	261	300	360	378	400	

6 MONTH WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				175	210	237	350	378	396	416	
3.0 HP C.I	7	2.0"	35 MTR	30	25	22	18	14	9	6	29000/-
				169	202	260	312	368	386	405	
3.0HP	9	2.0"	45 MTR	40	35	27	23	16	10	7	26000/-
				77	92	110	140	151	158	166	
3.0 HP	15	2.0"	96 MTR	76	74	71	56	59	51	42	26000/-
				40	48	55	65	72	82	92	
3.0 HP	25	1.25"	145 MTR	120	111	103	95	87	79	63	26000/-
				175	210	237	350	378	396	416	

Notes:

- The performance is based on rated voltage 220+6%-15% and rated frequency (50HZ+3%)
- The above performance is subjected to tolerances as per relevant Indian Standards.
- Pipe sizes mentioned in mm are nearest conversion of Inches, but actual pipe threading are provided as per 'BSP' Standards
- Total head = Static Suction + Static Delivery + Losses in pipes, bands etc.
- Two year Warranty for Products upto 1.5hp, & 6 months for above ran

- Above prices are subject to change without prior notice.
- All taxes are as applicable
- This price list cancels our entire previous prices list.
- All Disputes are subject to Sonipat jurisdiction only.



An ISO 9001:2015 Company

HEAD IN METERS



Smart homes need
smart wiring

Live Life the Happiest Way



Product Range

- > Cables for House & Industry
- > Single & Multicore Cables
- > PVC Submersible 3 Core flat cables
- > Telephone & Switch board Cables
- > Jelly Filled Co-axial Cables
- > Industrial & Agriculture wiring cables
- > Cat-5 cables for computer application

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Plot No. - 149, Barhi Industrial Area, Phase - 1, HSIIDC
Ganaur, Distt. Sonipat - 131110 (HR)

Scan QR Code



For More Information



100%
Electrolytic
Copper

100%
Conductivity

100%
Bunched

60%
Extra
Annealing

30%
Oxygen
Index

FR
Insulation

12